

series suppliesTM
Interior and Architectural Products

Fluted Moulding Collection

Material: Polystyrene

Manufacturing Method: Injection Moulding

Advantages:

- Moisture-proof
- High strength
- Anti-corrosive
- Anti-bacterial
- Anti-termite
- Easy installation
- Low cost



FLUTED MOULDING

FP-211ZP



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251ZP



(W) 25mm
(T) 12mm
(L) 2900mm

FP-411ZP



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501ZP




(W) 50mm
(T) 18mm
(L) 2900mm

FP-502ZP



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551ZP




(W) 55mm
(T) 16mm
(L) 2900mm




FLUTED MOULDING

FP-211ZH



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251ZH



(W) 25mm
(T) 12mm
(L) 2900mm

FP-411ZH



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501ZH



(W) 50mm
(T) 18mm
(L) 2900mm

FP-502ZH



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551ZH




(W) 55mm
(T) 16mm
(L) 2900mm




FLUTED MOULDING

FP-211ZE



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251ZE




(W) 25mm
(T) 12mm
(L) 2900mm

FP-411ZE



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501ZE





(W) 50mm
(T) 18mm
(L) 2900mm

FP-502ZE




(W) 50mm
(T) 20mm
(L) 2900mm

FP-551ZE



(W) 55mm
(T) 16mm
(L) 2900mm



FLUTED MOULDING

FP-211ZR



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251ZR



(W) 25mm
(T) 12mm
(L) 2900mm

FP-411ZR



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501ZR




(W) 50mm
(T) 18mm
(L) 2900mm

FP-502ZR



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551ZR



(W) 55mm
(T) 16mm
(L) 2900mm



FLUTED MOULDING

FP-211M



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251M



(W) 25mm
(T) 12mm
(L) 2900mm

FP-411M



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501M




(W) 50mm
(T) 18mm
(L) 2900mm

FP-502M



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551M



(W) 55mm
(T) 16mm
(L) 2900mm



FLUTED MOULDING

FP-211T



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251T



(W) 25mm
(T) 12mm
(L) 2900mm

FP-411T



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501T




(W) 50mm
(T) 18mm
(L) 2900mm

FP-502T



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551T



(W) 55mm
(T) 16mm
(L) 2900mm



FLUTED MOULDING

FP-211Y



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251Y




(W) 25mm
(T) 12mm
(L) 2900mm

FP-411Y



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501Y




(W) 50mm
(T) 18mm
(L) 2900mm

FP-502Y



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551Y



(W) 55mm
(T) 16mm
(L) 2900mm



FLUTED MOULDING

FP-211W



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251W



(W) 25mm
(T) 12mm
(L) 2900mm

FP-411W



(W) 41mm
(T) 20mm
(L) 2900mm

FP-501W



(W) 50mm
(T) 18mm
(L) 2900mm

FP-502W



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551W



(W) 55mm
(T) 16mm
(L) 2900mm



FLUTED MOULDING

FP-211V



(W) 21mm
(T) 11mm
(L) 2900mm

FP-251V




(W) 25mm
(T) 12mm
(L) 2900mm

FP-411V




(W) 41mm
(T) 20mm
(L) 2900mm

FP-501V





(W) 50mm
(T) 18mm
(L) 2900mm

FP-502V



(W) 50mm
(T) 20mm
(L) 2900mm

FP-551V



(W) 55mm
(T) 16mm
(L) 2900mm

